

## OfficeM Cordless Telephone

### Features

- Large, full graphic display
- Adjustable display contrast
- Integrated antenna
- Sending/receiving messages (SMS)
- Vibrator alert
- Personal phonebook (100 entries)
- Company phonebook (1000 entries)
- Central phonebook (unlimited entries)
- Call list with the 20 last calls
- Easy access to PBX services (e.g. voicemail)
- Loudspeaking function
- Headset
- Calculator
- Alarm clock
- Bluetooth Module as accessory



### Technical Specifications

#### Physical

|                         |  |
|-------------------------|--|
| Dimensions (l × w × d): | 143 × 53 × 26 mm                                     |
| Weight:                 | 131 g (battery included) 136 g with Bluetooth Module |
| Material:               | Case: PC-ABS, Key pad: Silicon rubber, Clip: POM     |
| Colour:                 | MagicGrey and Silver                                 |
| Display (w × h):        | 101 × 80 pixel LCD with white LED back-light         |
| Clip:                   | Hinge type (standard) or swivel type                 |

#### Battery

|                |                                     |
|----------------|-------------------------------------|
| Type:          | 850 mAh (Li-Ion)                    |
| Speech time:   | 20 h (14 h with Bluetooth Module)   |
| Stand-by time: | 140 h (120 h with Bluetooth Module) |
| Charge time:   | 4 h                                 |

#### Settings

|            |  |
|------------|--|
| Languages: | 11 preinstalled (Danish, Dutch, English, Finnish, French, German, Italian, Norwegian, Portuguese, Spanish, Swedish) and one additional programmable. |
|------------|--|

#### Phonebook

|                                 |   |
|---------------------------------|---|
| Maximum name and number length: | 12 characters in a name and 24 digits in a number   |
| Entries:                        | Max. 1100 (max.1000 in the company phonebook; max. 100 in the personal phonebook) + access to central phonebook with unlimited entries. |

**Telephony**

|                             |  |
|-----------------------------|--|
| Indication:                 | Ring signal (14 preprogrammed + 10 downloadable melodies configured by the Cordless Phone Manager CPM), flashing LED and vibrator.   |
| Answer call:                | Button press or auto answer  |
| Call list storage capacity: | 20 calls with time stamp (max. 10 dialled calls; max. 10 received/missed calls).<br>If a number occurs more than once, the last time stamp is shown together with the total number of occurrences. |

**Messaging**

|                         |   |
|-------------------------|---|
| Maximum message length: | 160 characters                              |
| Storage capacity:       | 20 messages (totally max. 19200 characters) |

**Audio**

|                               |   |
|-------------------------------|---|
| Ring signal:                  | Adjustable in 9 steps                     |
| Earpiece:                     | Adjustable in 10 steps                    |
| Maximum sound pressure level: | 93 dBA typical at 10 cm at highest volume |

**Radio**

Compliance to DECT standard.

**Environmental**

|                        |  |
|------------------------|--|
| Operating temperature: | 0°C – +40°C                                    |
| Storage temperature:   | -20°C – +55°C                                  |
| Enclosure protection:  | IP 40, IEC 60529, test probe Ø 1 mm, force 1 N |
| Free fall test:        | IEC 68-2-32, dropped 12 times from 1 m         |

**Accessories:**

Headset with microphone on cord  
 Headset with microphone on boom  
 Bluetooth Headset Module (requires software version 11.12 or later and hardware version R2A or later)  
 Swivel Clip  
 Leather Case  
 Desktop Charger  
 Charging Rack  
 Cordless Phone Manager (CPM)  
 Programming cable

**Compliance to European regulations and standards**


|                                  |   |
|----------------------------------|---|
| EU directives:                   | R&TTE 1999/5/EC, EMC 89/336/EC and LVD 73/23/EC |
| Product marking:                 | CE  |
| DECT Radio:                      | EN 301 406, TBR10, TBR22                        |
| SAR (Specific Absorption Rate)*: | EN50360   |
| Safety:                          | EN60950-1                                       |
| EMC:                             | EN301489- 6                                     |

**Bluetooth Module:**

|        |          |
|--------|----------|
| Radio: | EN300328 |
|--------|----------|

EMC: EN 301 489-1, EN 301 489-17 and EN 301 489-6

**Compliance to other regulations and standards**

FCC ID (USA): BXZOFFICEM  
 Safety (USA): IEC 60950-1  
 IC: 3724B-OFFICEM  
 EMC/Radio: FCC Part 15 D  
 SAR (Specific Absorption Rate)\*: ANSI/IEEE Std. C95.1-1992, FCC/OET Bullentin 65 Supplement C (2001) and IEEE Std. 1528-2003, December 2003  
 Product marking (AUS):  , N1415  
 DECT AUS: AS/ACIF S004, TS028  
 Safety (AUS): IEC60950, AS/NZS 60950  
 SAR (Specific Absorption Rate)\*: ACA 2003

\*) The highest reported SAR values are: Head 0.07 W/kg; Body 0.04 W/kg

**Functions OfficeM**

|                               |      |
|-------------------------------|------|
| Personal phonebook            | Yes  |
| Company phonebook             | Yes  |
| Access to central phonebook   | Yes* |
| Adjustable display contrast   | Yes  |
| Vibrator                      | Yes  |
| Headset connector             | Yes  |
| Microphone on/off during call | Yes  |
| Loudspeaking function         | Yes  |
| SMS (Short Message Service)   | Yes  |
| Calculator                    | Yes  |
| Alarm clock                   | Yes  |
| Voicemail access              | Yes* |
| Conference call               | Yes* |

*\* System dependent feature*

*Specifications are subject to change without notice.*